



ECBT2.E308094 - CONNECTORS FOR USE IN DATA, SIGNAL, CONTROL AND POWER APPLICATIONS - COMPONENT

Connectors for Use in Data, Signal, Control and Power Applications - Component

See General Information for Connectors for Use in Data, Signal, Control and Power Applications - Component

XIAMEN WAIN ELECTRICAL CO LTD

E308094

Chengbei Industry Zone

Dongshan Datong Town

Tong's An District

Xiamen, Fujian 361100 CHINA

Component Connector, Model(s) ATP-6DD16 may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2M-002-F EMC-001-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2M-002-F EMC-004-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2M-002-M EMC-001-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2M-002-M EMC-004-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MK-001-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MK-002.1-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MK-002.1-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MK-002.2-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MK-002.2-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MVC-002-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MVC-002-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MVE-002-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) H2MVE-002-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HA-003-FS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HA-003-MS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HA-004-FS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HA-004-MS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HC250-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HC250-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HE-006-FS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HE-006-MS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HE-010-FS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HE-010-MS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HE-016-FS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HE-016-MS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HE-024-FS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HE-024-MS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HK-006.1/12-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HK-006.1/12-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HK-006.2/12-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HK-006.2/12-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HK-006/6-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HK-006/6-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HK-008/0-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HK-008/0-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMDS-009-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMDS-009-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not

more than three digit numbers for commercial used.

Component Connector, Model(s) HMDS-025-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMDS-025-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-001-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-001-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-002.1-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-002.1-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-002.2-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-002.2-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-003.1-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-003.1-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-003.2-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-003.2-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-003/4-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK-003/4-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK70-002-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK70-002-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK70-002.1-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK70-002.1-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK70-002.2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HMK70-002.2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQ-002.1-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQ-002.1-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQ-002.2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQ-002.2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQ-008/0-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQ-008/0-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQV-002.1-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQV-002.1-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQV-002.2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) HQV-002.2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s) MOD BUS 3 10 69 AG, MOD BUS 3 6 69 AG, MOD STS 3 10 69 AG, MOD STS 3 6 69 AG, Model(s) H2MK-001-MC

Connectors, Model(s) H2MEE-020-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) H2MEE-020-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) H2MK-002-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) H2MK-002-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-003-F, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-003-M, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-004-F, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-004-F-V2, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-004-M, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-004-M-V2, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-010-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-010-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-010-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-010-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-016-F, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-016-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial

used.

Connectors, Model(s) HA-016-M, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HA-016-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-007-FC c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-007-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-007-MC c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-007-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-008-FC c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-008-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-008-MC c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-008-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-015-FC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-015-FC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-015-MC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-015-MC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-025-FC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-025-FC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-025-MC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-025-MC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-040-FC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-040-FC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-040-MC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-040-MC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-064-FC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-064-FC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-064-MC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HD-064-MC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HDD-024-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HDD-024-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HDD-042-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HDD-042-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HDD-072-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HDD-072-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HDD-108-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HDD-108-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-F c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-FS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-FSS may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-M c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-MS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-006-MSS may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-F c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three

digit numbers for commercial used.

Connectors, Model(s) HE-010-FS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-FSS may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-M c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-MS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-010-MSS may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-F c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-FS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-FSS may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-M c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-MS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-016-MSS may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-F c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-FS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-FSS may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-M c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-MS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HE-024-MSS may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-010-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-010-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-018-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-018-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-032-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-032-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-040-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-040-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-046-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-046-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-064-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HEE-064-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-004/0-F may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-004/0-M may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-004/2-F may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-004/2-M may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-004/8-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-004/8-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-006/36-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-006/36-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than

three digit numbers for commercial used.

Connectors, Model(s) HK-008/24-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-008/24-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-012/2-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HK-012/2-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMD-012-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMD-012-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMDD-017-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMDD-017-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HME-005-FS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HME-005-MS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HME-006-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HME-006-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMEE-008-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMEE-008-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMK-002-MC and HMK-002-FC may be followed by B, C, D or G, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMK-003-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMK-003-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMK-004-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HMK-004-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-004/2-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-004/2-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-005/0-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-005/0-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-007/0-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-007/0-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-012/0-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-012/0-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HQ-017-MC and HQ-017-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HSB-006-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HSB-006-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-003-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-003-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-003-FS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-003-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-003-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-003-MS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-006-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-006-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-006-FS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-006-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-006-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-006-MS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-010-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-010-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-010-FS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-010-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-010-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than

three digit numbers for commercial used.

Connectors, Model(s) HVE-010-MS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-016-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVE-016-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVME-006-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s) HVME-006-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) EMC-001-FC may be followed by XX-XX., EMC-001-MC may be followed by XX-XX., EMC-004-FC may be followed by XX-XX., EMC-004-MC may be followed by XX-XX.

Model(s) EMC-008-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) EMC-008-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) H2MDD-042-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) H2MDD-042-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HA followed by -010 or -016, followed by -M/B or -F/B, may be followed by XX-XX.

Model(s) HA-002-FS may be followed by XX-XX., HA-002-MS may be followed by XX-XX.

Model(s) HA-010-FS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HA-010-MS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HKH-012/2-FC may be followed by B, C, D or G, may be followed by XX-XX.

Model(s) HKH-012/2-MC may be followed by B, C, D or G, may be followed by XX-XX.

Model(s) HM-RJ45-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HM-USB-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HMDS/2.1-009-FC may be followed by B, C, D or G, may be followed by XX-XX.

Model(s) HMDS/2.1-009-MC may be followed by B, C, D or G, may be followed by XX-XX.

Model(s) HMDS/2.2-009-FC may be followed by B, C, D or G, may be followed by XX-XX.

Model(s) HMDS/2.2-009-MC may be followed by B, C, D or G, may be followed by XX-XX.

Model(s) HMGB-008-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HMGB-008-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HMMB-008-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HMMB-008-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HQ-021-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s) HQ-021-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Marking: Company name or trademark  and model designation on the device or carton.

Last Updated on 2019-04-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions:
1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"