

ECBT2.E308094 - Connectors for Use in Data, Signal, Control and Power Applications - Component


注释: 我们正在更新系统, 您可能会注意到遗失/过时的数据。在此过渡时期, 请参考您的合规证书或在 <https://www.ul.com/about/locations> 上联系客服中心。

Connectors for Use in Data, Signal, Control and Power Applications - Component

XIAMEN WAIN ELECTRICAL CO LTD

E308094

Chengbei Industry Zone
Dongshan Datong Town
Tong's An District
Xiamen, Fujian 361100 China

Marking: Company name or trademark , and model designation.

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): EMC-001-FC may be followed by XX-XX., EMC-001-MC may be followed by XX-XX., EMC-004-FC may be followed by XX-XX., EMC-004-MC may be followed by XX-XX., HA-002-FS may be followed by XX-XX., HA-002-MS may be followed by XX-XX.

Model(s): H2MK-001.1-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): H2MK-001.1-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): H2MK-001.2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): H2MK-001.2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HA followed by -010 or -016, followed by -M/B or -F/B, may be followed by XX-XX.

Model(s): HC350-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HC350-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HC650-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HC650-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HE followed by -006, -010, -016 or -024, followed by -F or -M

Model(s): HK-003/0-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HK-003/0-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HK-003/2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HK-003/2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HK-004/4.1-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HK-004/4.1-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HK-004/4.2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HK-004/4.2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HMDS-036-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HMDS-036-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HMK-003-FC-V1 may be followed by B, C, D or G, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Model(s): HMK-003-MC-V1 may be followed by B, C, D or G, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): MOD BUS 3 10 69 AG, MOD BUS 3 6 69 AG, MOD STS 3 10 69 AG, MOD STS 3 6 69 AG

Component Connector, Model(s): ATP-6DD16 may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): EMC-001-FC/E may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): EMC-001-MC/E may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): EMC-008-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): EMC-008-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): H2M-002-F EMC-001-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): H2M-002-F EMC-004-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): H2M-002-M EMC-001-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): H2M-002-M EMC-004-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): H2MDD-042-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): H2MDD-042-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): H2MK-001-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): H2MK-001-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): H2MK-002.1-F, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): H2MK-002.1-M, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): H2MK-002.2-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): H2MK-002.2-M, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): H2MVC-002-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): H2MVC-002-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): H2MVE-002-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): H2MVE-002-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HA-003-FS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HA-003-MS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HA-004-FS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HA-004-MS may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HA-010-FS may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HA-010-MS may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HC250-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HC250-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HE-006-FS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HE-006-MS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HE-010-FS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HE-010-MS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HE-016-FS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HE-016-MS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HE-024-FS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HE-024-MS Q may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HK-006.1/12-F may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-006.1/12-F, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-006.1/12-M may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-006.1/12-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HK-006.2/12-F may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-006.2/12-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HK-006.2/12-M may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-006.2/12-M, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-006/6-F may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-006/6-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HK-006/6-M may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-006/6-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HK-008/0-F may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-008/0-F, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-008/0-M may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-008/0-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HK-009/12/25-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-009/12/25-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-032/55-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HK-032/55-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS/2.1-009-FC may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS/2.1-009-MC may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS/2.2-009-FC may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS/2.2-009-MC may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS-009-FC may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS-009-FC, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS-009-MC may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS-009-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMDS-025-FC may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS-025-FC, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS-025-MC may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMDS-025-MC, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HME-005-F may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HME-005-M may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMGB-008-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HMGB-008-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HMK-001-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-001-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK-002.1-F may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-002.1-F, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-002.1-M may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-002.1-M, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-002.2-F may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-002.2-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK-002.2-M may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-002.2-M, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-003.1-F may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-003.1-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK-003.1-M may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-003.1-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK-003.2-F may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-003.2-F, may be followed by B, C, D or G may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-003.2-M may be followed by B, C, D or G, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK-003.2-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK-003/4-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK-003/4-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HMK70-002.1-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK70-002.1-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK70-002.2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK70-002.2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK70-002-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMK70-002-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HMMB-008-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HMMB-008-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HM-RJ45-F may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HM-USB-F may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HQ-002.1-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HQ-002.1-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HQ-002.2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HQ-002.2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HQ-008/0-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used).

Component Connector, Model(s): HQ-008/0-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HQ-021-FC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HQ-021-MC may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial purposes only).

Component Connector, Model(s): HQV-002.1-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HQV-002.1-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HQV-002.2-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Component Connector, Model(s): HQV-002.2-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connector, Model(s): HKH-012/2-FC, HKH-012/2-MC

Connectors, Model(s): H2MK-002-FC, H2MK-002-MC, HDD-024-FC, HDD-024-MC, HDD-042-FC, HDD-042-MC, HDD-072-FC, HDD-072-MC, HDD-108-FC, HDD-108-MC, HK-006/36-FC, HK-006/36-MC, HK-012/2-FC, HK-012/2-MC, HMD-012-FC, HMD-012-MC, HMDD-017-FC, HMDD-017-MC, HMK-002-FC, HMK-002-MC, HMK-002-MC and HMK-002-FC, HQ-004/2-FC, HQ-004/2-MC, HQ-007/0-FC, HQ-007/0-MC, HQ-012/0-FC, HQ-012/0-MC, HQ-017-FC and HQ-017-MC, M40-MC04/2-BK40., M40-MC04/2-BKP40-SE., M40-MC04/4-BK40., M40-MC04/4-BKP40-SE., M40-MC04/5-BK40., M40-MC04/5-BKP40-SE.

Connectors, Model(s): H2MEE-020-FC , may be followed by B, C, D or G

Connectors, Model(s): H2MEE-020-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): H2MEE-020-MC , may be followed by B, C, D or G

Connectors, Model(s): H2MEE-020-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): H2MK-002-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): H2MK-002-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-003-F, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-003-M, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-004-F, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-004-F-V2, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-004-M, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-004-M-V2, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-010-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-010-F/B, followed by XX-XX followed by -010 or -016, followed by -M/B or -F/B, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used)

Connectors, Model(s): HA-010-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-010-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-010-M/B, followed by XX-XX followed by -010 or -016, followed by -M/B or -F/B, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used)

Connectors, Model(s): HA-010-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-016-F, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-016-F/B, followed by XX-XX followed by -010 or -016, followed by -M/B or -F/B, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used)

Connectors, Model(s): HA-016-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-016-M, may be followed by XX-XX XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HA-016-M/B, followed by XX-XX followed by -010 or -016, followed by -M/B or -F/B, may be followed by XX-XX, (XX denoting not more than three digit numbers for commercial used)

Connectors, Model(s): HA-016-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-007-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-007-FC c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-007-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-007-MC c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-008-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-008-FC c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-008-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-008-MC c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-015-FC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-015-FC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-015-MC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-015-MC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-025-FC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-025-FC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-025-MC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-025-MC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-040-FC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-040-FC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-040-MC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-040-MC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-064-FC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-064-FC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-064-MC may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HD-064-MC c may be followed by Z, may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HDD-024-FC may be followed by B, C, D or G

Connectors, Model(s): HDD-024-MC may be followed by B, C, D or G

Connectors, Model(s): HDD-042-FC may be followed by B, C, D or G

Connectors, Model(s): HDD-042-MC may be followed by B, C, D or G

Connectors, Model(s): HDD-072-FC may be followed by B, C, D or G

Connectors, Model(s): HDD-072-MC may be followed by B, C, D or G

Connectors, Model(s): HDD-108-FC may be followed by B, C, D or G

Connectors, Model(s): HDD-108-MC may be followed by B, C, D or G

Connectors, Model(s): HE-006-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-006-F c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-006-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-006-FS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-006-FSS may be followed by B, C, D or G

Connectors, Model(s): HE-006-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-006-M c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-006-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-006-MS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-006-MSS may be followed by B, C, D or G

Connectors, Model(s): HE-010-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-010-F c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-010-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-010-FS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-010-FSS may be followed by B, C, D or G

Connectors, Model(s): HE-010-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-010-M c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-010-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-010-MS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-010-MSS may be followed by B, C, D or G

Connectors, Model(s): HE-016-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-016-F c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-016-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-016-FS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-016-FSS may be followed by B, C, D or G

Connectors, Model(s): HE-016-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-016-M c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-016-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-016-MS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-016-MSS may be followed by B, C, D or G

Connectors, Model(s): HE-024-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-024-F c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-024-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-024-FS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-024-FSS may be followed by B, C, D or G

Connectors, Model(s): HE-024-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-024-M c may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-024-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-024-MS may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HE-024-MSS may be followed by B, C, D or G

Connectors, Model(s): HEE-010-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-010-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-018-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-018-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-032-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-032-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-040-FC may be followed by B, C, D or G

Connectors, Model(s): HEE-040-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-040-MC may be followed by B, C, D or G

Connectors, Model(s): HEE-040-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-046-FC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-046-MC may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-064-FC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HEE-064-MC may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-004/0-F may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-004/0-M may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-004/2-F may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-004/2-M may be followed by B, C, D or G. may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-004/8-F , may be followed by B, C, D or G

Connectors, Model(s): HK-004/8-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-004/8-M , may be followed by B, C, D or G

Connectors, Model(s): HK-004/8-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-006/36-FC may be followed by B, C, D or G

Connectors, Model(s): HK-006/36-FC CSA may be followed by B, C, D or G.

Connectors, Model(s): HK-006/36-MC may be followed by B, C, D or G

Connectors, Model(s): HK-006/36-MC CSA may be followed by B, C, D or G.

Connectors, Model(s): HK-008/24-FC , may be followed by B, C, D or G

Connectors, Model(s): HK-008/24-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-008/24-MC , may be followed by B, C, D or G

Connectors, Model(s): HK-008/24-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HK-012/2-FC may be followed by B, C, D or G

Connectors, Model(s): HK-012/2-MC may be followed by B, C, D or G

Connectors, Model(s): HMD-012-FC may be followed by B, C, D or G

Connectors, Model(s): HMD-012-FC CSA may be followed by B, C, D or G.

Connectors, Model(s): HMD-012-MC may be followed by B, C, D or G

Connectors, Model(s): HMD-012-MC CSA may be followed by B, C, D or G.

Connectors, Model(s): HMDD-017-FC may be followed by B, C, D or G

Connectors, Model(s): HMDD-017-FC CSA may be followed by B, C, D or G.

Connectors, Model(s): HMDD-017-MC may be followed by B, C, D or G

Connectors, Model(s): HMDD-017-MC CSA may be followed by B, C, D or G.

Connectors, Model(s): HME-005-FS may be followed by B, C, D or G, may be followed by XX-XX, XX denoting not more than three digit numbers for commercial used

Connectors, Model(s): HME-005-FS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HME-005-MS , may be followed by B, C, D or G

Connectors, Model(s): HME-005-MS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HME-006-FC , may be followed by B, C, D or G

Connectors, Model(s): HME-006-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HME-006-MC , may be followed by B, C, D or G

Connectors, Model(s): HME-006-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HMEE-008-FC , may be followed by B, C, D or G

Connectors, Model(s): HMEE-008-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HMEE-008-MC , may be followed by B, C, D or G

Connectors, Model(s): HMEE-008-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HMK-003-FC may be followed by B, C, D or G

Connectors, Model(s): HMK-003-MC may be followed by B, C, D or G

Connectors, Model(s): HMK-004-FC may be followed by B, C, D or G

Connectors, Model(s): HMK-004-MC may be followed by B, C, D or G

Connectors, Model(s): HQ-004/2-FC may be followed by B, C, D or G

Connectors, Model(s): HQ-004/2-MC may be followed by B, C, D or G

Connectors, Model(s): HQ-005/0-FC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HQ-005/0-MC may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HQ-007/0-FC may be followed by B, C, D or G

Connectors, Model(s): HQ-007/0-FC CSA may be followed by B, C, D or G.

Connectors, Model(s): HQ-007/0-MC may be followed by B, C, D or G

Connectors, Model(s): HQ-007/0-MC CSA may be followed by B, C, D or G.

Connectors, Model(s): HQ-012/0-FC may be followed by B, C, D or G

Connectors, Model(s): HQ-012/0-FC CSA may be followed by B, C, D or G.

Connectors, Model(s): HQ-012/0-MC may be followed by B, C, D or G

Connectors, Model(s): HQ-012/0-MC CSA may be followed by B, C, D or G.

Connectors, Model(s): HSB-006-F may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HSB-006-M may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-003-F , may be followed by B, C, D or G

Connectors, Model(s): HVE-003-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-003-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-003-FS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-003-M , may be followed by B, C, D or G

Connectors, Model(s): HVE-003-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-003-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-003-MS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-006-F , may be followed by B, C, D or G

Connectors, Model(s): HVE-006-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-006-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-006-FS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-006-M , may be followed by B, C, D or G

Connectors, Model(s): HVE-006-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-006-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-006-MS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-010-F , may be followed by B, C, D or G

Connectors, Model(s): HVE-010-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-010-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-010-FS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-010-M , may be followed by B, C, D or G

Connectors, Model(s): HVE-010-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-010-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-010-MS, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-016-F , may be followed by B, C, D or G

Connectors, Model(s): HVE-016-F, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVE-016-M , may be followed by B, C, D or G

Connectors, Model(s): HVE-016-M, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVME-006-FC , may be followed by B, C, D or G

Connectors, Model(s): HVME-006-FC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): HVME-006-MC , may be followed by B, C, D or G

Connectors, Model(s): HVME-006-MC, may be followed by B, C, D or G may be followed by XX-XX. XX denoting not more than three digit numbers for commercial used.

Connectors, Model(s): M17-007, followed by R or blank, followed by -BK, followed by 21.6, 26, 28 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank, followed by -P or blank.

Connectors, Model(s): M17-007, followed by R or blank, followed by -BKP, followed by 21.6, 26, 28 or 00A thru 99A, followed by -SE, followed by -OD2.7, -OD3.2 or blank, followed by -P or blank.

Connectors, Model(s): M17-007, followed by R or blank, followed by -T, followed by -D9.5, -D12 or -D00A thru -D99A, followed by -SH, followed by -P or blank.

Connectors, Model(s): M17-012, followed by -BK, followed by 21.6, 26, 28 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank, followed by -P or blank.

Connectors, Model(s): M17-012, followed by -BKP, followed by 21.6, 26, 28 or 00A thru 99A, followed by -SE, followed by -OD2.7, -OD3.2 or blank, followed by -P or blank.

Connectors, Model(s): M17-012R, followed by -T, followed by -D9.5, -D12 or -D00A thru -D99A, followed by -SH, followed by -P or blank.

Connectors, Model(s): M17-FC017, followed by -BK, followed by 21.6, 26, 28 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M17-FC017, followed by -BKP, followed by 21.6, 26, 28 or 00A thru 99A, followed by -SE, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M17-FC017, followed by -T, followed by -D9.5, -D12 or -D00A thru -D99A, followed by -SH.

Connectors, Model(s): M17-FC02, followed by -T, followed by -D6, -D8, 28 or 00.0 thru 99.9, followed by -SH.

Connectors, Model(s): M17-FC08, followed by -T, followed by -D6, -D8, 28 or 00.0 thru 99.9, followed by -SH.

Connectors, Model(s): M17-MC017, followed by -BK, followed by 21.6, 26, 28 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M17-MC017, followed by -BKP, followed by 21.6, 26, 28 or 00A thru 99A, followed by -SE, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M17-MC017, followed by -T, followed by -D9.5, -D12 or -D00A thru -D99A, followed by -SH.

Connectors, Model(s): M17-MC02, followed by -BKP, followed by 25.8 or 00 thru 99, followed by -SE.

Connectors, Model(s): M17-MC08, followed by -BKP, followed by 25.8 or 00 thru 99, followed by -SE.

Connectors, Model(s): M23-FC04/4, followed by -BK, followed by 26, 28, 28.8 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M23-FC04/4, followed by -T or -TH, followed by -D6.6, -D12, -D14.5, -D17 or 00A thru 99A, followed by -SH.

Connectors, Model(s): M23-FC04A, followed by -T, followed by -D6.6, -D12, -D14.5, -D17 or 00A thru 99A, followed by -SH.

Connectors, Model(s): M23-FC06, followed by -BK, followed by 26, 28, 28.8 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M23-FC06, followed by -T or -TH, followed by -D6.6, -D12, -D14.5, -D17 or 00A thru 99A, followed by -SH.

Connectors, Model(s): M23-MC04/4, followed by -BK, followed by 26, 28, 28.8 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M23-MC04/4, followed by -BKP or -BK, followed by 26, 28, 28.8 or 00A thru 99A, followed by -SE, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M23-MC04/4, followed by -CCT/R, followed by 28, -D6.6, -D12, -D14.5, -D17, 00.0 thru 99.9 or blank, followed by -SH.

Connectors, Model(s): M23-MC04/4, followed by -TH, followed by -D6.6, -D12, -D14.5, -D17 or -D00A thru -D99A, followed by -SH.

Connectors, Model(s): M23-MC04A, followed by -BK or -BKP, followed by 26, 28, 28.8 or 00A thru 99A, followed by -SE, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M23-MC06, followed by -BK, followed by 26, 28, 28.8 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M23-MC06, followed by -BKP or -BK, followed by 26, 28, 28.8 or 00A thru 99A, followed by -SE, followed by -OD2.7, -OD3.2 or blank.

Connectors, Model(s): M23Q-FC04/4, followed by -TH, followed by -D6.6, -D12, -D14.5, -D17 or 00A thru 99A, followed by -SH.

Connectors, Model(s): M23Q-FC06, followed by -TH, followed by -D6.6, -D12, -D14.5, -D17 or 00A thru 99A, followed by -SH.

Connectors, Model(s): M40-FC04/2, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): M40-FC04/4, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): M40-FC04/5, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): M40-MC04/2, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): M40-MC04/4, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): M40-MC04/5, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): M40Q-FC04/2, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): M40Q-FC04/4, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): M40Q-FC04/5, followed by -T, followed by -D9, -D16, -D25 or -D00.0 thru -D99.9, followed by -SH.

Connectors, Model(s): MR23-012, followed by R or blank, followed by -BK, followed by 26, 28, 28.8 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank, followed by -P or blank.

Connectors, Model(s): MR23-012, followed by R or blank, followed by -BKP, followed by 26, 28.8 or 00A thru 99A, followed by -SE, followed by -OD3.2 or blank, followed by -P or blank.

Connectors, Model(s): MR23-012, followed by R or blank, followed by -CCT, followed by -D8, -D10, -D14.5 or blank, followed by -SH, followed by -P or blank.

Connectors, Model(s): MR23-012, followed by R or blank, followed by -CCT/R, followed by 26, 28, -D8, -D10, -D14.5, 00.0 thru 99.9 or blank, followed by -SH, followed by -P or blank.

Connectors, Model(s): MR23-012, followed by R or blank, followed by -T, followed by -D8, -D10, -D14.5 or -D00A thru -D99A, followed by -SH, followed by -P or blank.

Connectors, Model(s): MR23-017, followed by R or blank, followed by -BK, followed by 26, 28, 28.8 or 00A thru 99A, followed by -OD2.7, -OD3.2 or blank, followed by -P or blank.

Connectors, Model(s): MR23-017, followed by R or blank, followed by -BKP, followed by 26, 28.8 or 00A thru 99A, followed by -SE, followed by -OD3.2 or blank, followed by -P or blank.

Connectors, Model(s): MR23-017, followed by R or blank, followed by -CCT, followed by -D8, -D10, -D14.5 or blank, followed by -SH, followed by -P or blank.

Connectors, Model(s): MR23-017, followed by R or blank, followed by -CCT/R, followed by 26, 28, -D8, -D10, -D14.5, 00.0 thru 99.9 or blank, followed by -SH, followed by -P or blank.

Connectors, Model(s): MR23-017, followed by R or blank, followed by -T, followed by -D8, -D10, -D14.5 or -D00A thru -D99A, followed by -SH, followed by -P or blank.

Connectors, Model(s): MR23Q-012, followed by R or blank, followed by -T, followed by -D8, -D10, -D14.5 or -D00A thru -D99A, followed by -SH, followed by -P or blank.

Connectors, Model(s): MR23Q-017, followed by R or blank, followed by -T, followed by -D8, -D10, -D14.5 or -D00A thru -D99A, followed by -SH, followed by -P or blank.

Last Updated on 2022-05-19

并不是所有出现在本数据库中的公司名称和产品都满足了UL跟踪检验服务的要求。只有带有UL标志的产品，才应该被视为经过UL认证，并满足UL跟踪检验服务的要求。注意查看产品上的标志。

UL允许在线认证目录中所含材料的复制遵循以下条件：1.指南信息、装配、构造、设计、系统和/或认证（文件）必须在不篡改任何数据（或图纸）的情况下完整且无误导性地呈现。2.“经UL允许从在线认证目录转载”声明必须出现在所摘取材料的邻近位置。此外，转载材料必须包含以下格式的版权声明：“© 2022 UL LLC”